



BULLDOG
CHEMICALS LLC

Material Safety Data Sheet Liquid TD

Date Prepared: 2/12/2007

Section I - Product and Company Identification

- Product Name: Liquid TD
- Formula: Proprietary blend of asphalts and carbonic materials in a liquid emulsion.
- Supplier: Bulldog Chemicals
29030 Lake Houston Lane
Huffman, TX 77336
Emergency Telephone: 281-360-7315

Section II – Physical and Chemical Properties

- | | | | |
|------------------------|------------|-------------------|-------|
| • Vapor Density: | n/a | Vapor Pressure: | n/a |
| • Solubility in Water: | Partial | Specific Gravity: | 1.07 |
| • Boiling Point: | IBP 140° C | Freezing Point: | -25°C |

Section III – Fire and Explosion Data

Liquid TD may burn under the right conditions of heat and oxygen supply. Store and handle away from open flame or high heat sources. Fires can be extinguished with water fog or other conventional means.

- Flash Point: Above 200° F
- Lower Explosion Limit: n/a
- Auto ignition Temp: n/a
- Upper Explosion Limit: n/a

Section IV – Health Hazard Data

- Threshold Limit Value: Not established
- Effects of Overexposure: If contact with eyes or skin occurs, may cause irritation.

Section V – Fire Fighting Measures

Fire Fighting Extinguishing Media: Dry chemical, water spray, water fog, carbon dioxide, foam, sand or earth.



Liquid TD

Section VI – Emergency and First Aid Procedures

- Inhalation: If any ill effects should occur, get the affected person to fresh air and obtain prompt medical attention.
- Eye or Skin Contact: Skin should be washed with soap and plenty of water. If contact with eyes occurs, flush with plenty of low-pressure flowing water. If irritation occurs, get prompt medical attention.
- Ingestion: If solution is swallowed, give large amounts of water to dilute, but never give fluids or induce vomiting if person is unconscious or is having convulsions. Obtain prompt medical attention.

Section VII – Special Protection Information

- Ventilation: 10 changes per hour suggested.
- Respiratory Protection: Use a NIOSH/MESA approved dust mask.
- Eye Protection: Suggest goggles or OSHA approved safety goggles.
- Other Protective Equipment: Eye wash.
- Protective Gloves: Suggest plastic or rubber.

Section VIII – DOT Information

- Proper Shipping Name: Liquid TD
- Hazard Class: Non-hazardous

Section IX – Reactivity Data

- Stability: Stable
- Incompatibility: None
- Condition to Avoid: None
- Hazardous Decomposition: None
- Hazardous Polymerization: Will not occur.

Section X – Spill or Leak Procedure

Waste Disposal Method: Dispose in accordance with all local, state and federal regulations. Sweep up spilled materials as product is extremely slippery on floors and docks.